



**EXPERIENCE REVITALISING WARMTH WITH
V-GUARD WATER HEATERS**



25 YEARS OF UNWAVERING TRUST

Since its establishment in 1977, V-Guard lived up to the reputation of making reliable products that were designed to work efficiently and last a lifetime. With a strong emphasis on product quality and customer value, V-Guard earned a reputation for designing and manufacturing products that are built to last. Embracing new frontiers in technology, we are one of the leading consumer electrical brands in India. With a quest for excellence, it will be our endeavour to understand human lives and their relationship with the tools and appliances that they use. Then, we create a seamless experience with thoughtfully engineered products in our quest to enrich consumer lives.

Harnessing the learnings, insights and experiences, V-Guard made waves in the water heater category with a firm belief in the principles of thoughtful engineering and intelligent design. Being in the water heater segment for 25 years, the very boundaries of what is possible has been pushed in recent years through our new product offerings. A fine combination of visual appeal and utility, V-Guard water heaters are energy-efficient, equipped with advanced coating solutions to protect against rust and also ensure that the water inside remains heated for a longer duration.

With an unwavering commitment to excellence, quality and innovation, we bring to you a range of modern water heaters with a sole purpose - empowering you to bring home a better tomorrow.

RANGE AVAILABLE



INSTANT SERIES



PEBBLE INSTA



SPRINHOT



IRIS



VINSTA

STORAGE SERIES



IRIS DG & IRIS



PEBBLE (METALLICA & NON-METALLICA)



VERANO DG & VERANO



EMA



ESA



ESB



STEAMER PLUS MSV



SPRINHOT PLUS



EC SERIES



ECN SERIES



KRYSTAL PLUS DG & KRYSTAL PLUS



STEAMER PLUS MS SLEEK



STEAMER PLUS ECH



STEAMER PLUS MSH



GLADO



VALCO



SIETA



SIETA PLUS



VISTORA




GAS WATER HEATER



IMMERSION HEATER

INSTANT SERIES

Enjoy instant hot water shower any time with V-Guard instant water heaters. Built with a host of safety features, they are available in multiple variants and designs. Equipped with a special PUF insulation that minimizes heat loss and decreases power consumption. So, bring home this stylish and elegant instant water heater for all your instant hot water needs and stop worrying about the fretting power consumption.





PEBBLE INSTA

INSTANT SERIES



COLOURS AVAILABLE



White Metallic Grey



Electric Water Heater with SS tank for long life



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank



Pink White



Violet White

Outer cover made of rust proof ABS material.

PUF insulation to minimise heat loss and reduce power consumption.

Inner tank made of 304L grade Jindal/Tata brand Stainless Steel.

Can withstand working pressure up to 0.6 MPa (6 kg/cm²).

Heating element with ISI mark for extra long life.

Multiple colour panel options to suit the bathroom interior.

Safety devices.


ISI marked.

Pebble Insta comes with product warranty of 2 years and inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Pebble Insta	3000 W/4500 W	27	27.4	Vertical	0.6 MPa (6 kg/cm ²)

SPRINHOT

INSTANT SERIES






Ivory



Electric Water Heater with ABS outer body and SS tank for long life



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank

Outer cover made of rust proof ABS material.

Can withstand pressure up to 0.6 MPa (6 kg/cm²).

Automatic temperature regulation through thermostat.

ISI marked.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel.

Heating element with ISI mark for extra long life.

Safety devices.

Sprinhot series comes with product warranty of 2 years and inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
1 L	Sprinhot	3000 W/4500 W	15.6	27.5	Vertical	0.6 MPa (6 kg/cm ²)
3 L	Sprinhot	3000 W/4500 W	21.1	31.1	Vertical	0.6 MPa (6 kg/cm ²)

IRIS

INSTANT SERIES






Ivory



Electric Water Heater with SS Tank for long life



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank

Outer cover made of rust proof engineered polymer material.

PUF insulation to minimise heat loss and reduce power consumption.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel.

Can withstand working pressure up to 0.6 MPa (6 kg/cm²).

Heating element with ISI mark for extra long life.

Available in attractive Ivory colour.

Safety devices.

ISI marked.

Iris comes with product warranty of 2 years and inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Iris	3000 W/4500 W	16.9	34.1	Vertical	0.6 MPa (6 kg/cm ²)

VINSTA

INSTANT SERIES





White



Electric Water Heater
with SS Tank for
long life



Replacement
warranty 5 years for
inner tank

Electric Water Heater with rustproof engineered polymer material for long life.

Can withstand working pressure of upto 0.6 MPa (6 kg/cm²).

Inner tank made of 304 L grade stainless steel.

Available in attractive White colour.

Heating element with ISI mark for extra-long life.

ISI marked.

Vinsta comes with a product warranty of 2 years and inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Vinsta	3000 W	16.9	34.1	Vertical	0.6 MPa (6 kg/cm ²)

VEEHOT

INSTANT SERIES





Ivory



Electric Water Heater with ABS outer body and SS tank for long life



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank

Outer cover made of rust proof ABS material.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel.

Can withstand pressure up to 0.6 MPa (6 kg/cm²).

Heating element with ISI mark for extra long life.

Automatic temperature regulation through thermostat.

Safety devices.

ISI marked.

Veehot comes with product warranty of 2 years and inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Veehot	3000 W	21.1	31.1	Vertical	0.6 MPa (6 kg/cm ²)

STORAGE SERIES

Enjoy a soothing hot water shower any time with the V-Guard storage series. Aesthetically designed to complement your bathroom decor, they are equipped with some amazing features like faster heating, high storage capacity, lower power consumption and a host of safety features to ensure enhanced performance. Welcome home the ace performer and give yourself a hassle-free water heating experience.






IRIS SERIES

STORAGE SERIES






White



Inner tank made of high-quality steel with glass-lined AC coating



Sacrificial anode for extended life span



Vitreous enamel coated incoloy heating element for faster heating & longer life

Electric Water Heater with rust proof dual color ABS outer body.

Vitreous enamel coated incoloy 800 heating element for long life.

5-star rating as per BEE standard.

Pressure pump/multistoried building usage compatibility with 0.8 MPa (8 kg/cm²) pressure withstanding.

Adjustable capillary thermostat for temperature regulation.

Multifunctional safety valve.

Iris Series comes with a product warranty of 2 years and heating element warranty of 3 years and inner tank warranty of 7 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Iris 10	2000 W	5 Star	32.6	38.1	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Iris 15	2000 W	5 Star	32.6	49.6	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris 25	2000 W	5 Star	38.1	53.2	Vertical	0.8 MPa (8 kg/cm ²)


IRIS DG SERIES

STORAGE SERIES





White



LED display for real time temperature indication



Inner tank made of high-quality steel with glass-lined AC coating



Sacrificial anode for extended life span



Vitreous enamel coated incoloy heating element for faster heating & longer life

Electric water heater with rust proof dual color ABS outer body.

Pressure pump/multistoried building usage compatibility with 0.8 MPa (8 kg/cm²) pressure withstanding.

5-star rating as per BEE standard.

Vitreous enamel coated incoloy 800 heating element for long life.

LED display for real time temperature indication.

Adjustable capillary thermostat for temperature regulation.

Iris DG Series comes with a product warranty of 2 years and heating element warranty of 4 years and inner tank warranty of 7 years.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Iris DG 10	2000 W	5 Star	32.6	38.1	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Iris DG 15	2000 W	5 Star	32.6	49.6	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris DG 25	2000 W	5 Star	38.1	53.2	Vertical	0.8 MPa (8 kg/cm ²)

PEBBLE METALLICA SERIES

STORAGE SERIES



COLOURS AVAILABLE




Violet



Inner tank made of high-quality steel with glass-lined AC coating



Sacrificial anode for extended life span



Suitable for high rise buildings: Pressure-resistant technology which suits high-rise buildings where water pressure is up to 0.8 MPa (8 kg/cm²)



Metallic Blue

Electric Water Heater with ABS outer body and inner tank with glass-lined AC coating for long life.

Metallic finish front panel and colour change options to suit the bathroom interior.



Olive Green

5-star rating as per BEE standard.

Vitreous enamel coated incoloy heating element for long life.

Adjustable capillary thermostat for temperature regulation.

Pressure pump/multistoried building usage compatibility with 0.8 MPa (8 kg/cm²) pressure withstanding.

Multifunctional safety valve.

Pebble Metallica Series comes with a product warranty of 3 years and heating element warranty of 4 years and inner tank warranty of 8+2 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble 6 (Metallica Series)	2000 W	5 Star	29.3	31.35	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Pebble 10 (Metallica Series)	2000 W	5 Star	33.2	35.3	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Pebble 15 (Metallica Series)	2000 W	5 Star	35.6	38.4	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Pebble 25 (Metallica Series)	2000 W	5 Star	38.6	46.85	Vertical	0.8 MPa (8 kg/cm ²)

PEBBLE SERIES

STORAGE SERIES




COLOURS AVAILABLE




Cherry Red



Inner tank made of high-quality steel with glass-lined AC coating



Blue



Suitable for high rise buildings: Pressure-resistant technology which suits high-rise buildings where water pressure is up to 0.8 MPa (8 Kg/cm²)



Sacrificial anode for extended life span



Green

Electric Water Heater with ABS outer body and inner tank with glass-lined AC coating for long life.

Interchangeable colour panel option to suit the bathroom interior.

5-star rating as per BEE standard.

Vitreous enamel coated incoloy heating element for long life.

Adjustable capillary thermostat for temperature regulation.

Pressure pump/multistoried building usage compatibility with 0.8 MPa (8 kg/cm²) pressure withstanding.

Multifunctional safety valve.

Pebble Series comes with a product warranty of 2 years, heating element warranty of 4 years and inner tank warranty of 7 years.



Ivory

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble 6	2000 W	5 Star	29.3	31.35	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Pebble 10	2000 W	5 Star	33.2	35.3	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Pebble 15	2000 W	5 Star	35.6	38.4	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Pebble 25	2000 W	5 Star	38.6	46.85	Vertical	0.8 MPa (8 kg/cm ²)



VERANO DG

STORAGE SERIES





White



Energy consumption monitoring through mobile app



Hot water ready notification through mobile app



IR remote control



Touch menu settings



Automatic dry heating protection system

Digital temperature control with LED display.

Control using an Android/iOS smartphone through the Internet from anywhere in the world.

Temperature alert while reaching the set temperature.

Verano DG Series comes with a product warranty of 3 years, heating element warranty of 4 years and inner tank warranty of 8+2 years.

Intelligent Scheduler (once the time & temperature is set, the EWH will work automatically). 2 scheduling options available.

Using the app, it is possible to: change/monitor temperature, change modes/set schedules/monitor energy consumption/one touch complaint registration.

Automatic dry heating detection & cut off system (along with alert to customer, if connected with smartphone) control using IR remote.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Verano DG 15	2000 W	5 Star	40	42	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Verano DG 25	2000 W	5 Star	46	48.5	Vertical	0.8 MPa (8 kg/cm ²)



VERANO

STORAGE SERIES






White




Unique EPAC tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Suitable for high rise buildings: Pressure-resistant technology which suits high-rise buildings where water pressure is up to 0.8 MPa (8 Kg/cm²)



Outer cover made of rust proof ABS material



Sacrificial anode for extended life span

Electric Water Heater with ABS outer body and 0.3 cm (3 mm) thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit any kind of water.

5-star rating as per BEE standard.

Pressure pump/multistoried building usage compatibility with 0.8 MPa (8 kg/cm²) pressure withstanding.

Verano Series comes with a product warranty of 2 years and heating element warranty of 4 years and inner tank warranty of 8+2 years.

Vitreous enamel coated incoloy 800 heating element for long life.

Adjustable capillary thermostat for temperature regulation.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Verano 10	2000 W	5 Star	37.5	39.6	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Verano 15	2000 W	5 Star	40	42	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Verano 25	2000 W	5 Star	46	48.5	Vertical	0.8 MPa (8 kg/cm ²)



EMA

STORAGE SERIES






White



Unique EPAC tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption

Electric Water Heater with ABS Outer body and 0.3 cm thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit hard water.

5-star rating as per BEE standard.

PUF Insulation to minimise heat loss and reduce power consumption.

Suitable for multistoried buildings and withstand pressure up to 0.8 MPa (8 kg/cm²).

Vitreous enamel coated incoloy element for long life.

Capillary thermostat for external temperature control.

Sacrificial anode for extended life span.

Safety devices.

Multifunctional safety valve.

EMA series comes with 2 years product warranty, 3 years for heating element and 7 years for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	EMA 15	2000 W	5 Star	33.1	51.3	Vertical	0.8 MPa (8 kg/cm ²)
25 L	EMA 25	2000 W	5 Star	38.6	54	Vertical	0.8 MPa (8 kg/cm ²)


ESA

STORAGE SERIES





White



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption



Replacement warranty 5 years for inner tank

Electric Water Heater with ABS outer body.

5-star rating as per BEE standard.

PUF insulation to minimise heat loss and reduce power consumption.

Inner tank made of 304 L grade Jindal stainless steel.

ACC protection in inner tank.

Capillary thermostat for external temperature control.

Sacrificial anode for extended life span.

Penta safety system.

ESA comes with 2 years product warranty and 5 years for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ESA 10	3000 W	5 Star	33.1	39.8	Vertical	0.65 MPa (6.5 kg/cm ²)
15 L	ESA 15	2000 W	5 Star	33.1	52	Vertical	0.65 MPa (6.5 kg/cm ²)


ESB

STORAGE SERIES





White



Replacement warranty 5 years for inner tank



Electric Water Heater with ABS outer body and SS tank for long life

Electric Water Heater with ABS outer body.

PUF insulation to minimise heat loss and reduce power consumption.

4-star rating as per BEE standard.

Inner tank made of 304 L grade Jindal Stainless Steel.

ACC protection in inner tank.

Capillary thermostat for external temperature control.

Sacrificial anode for extended life span.

Penta safety system.

ESB comes with 2 years product warranty and 5 years for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ESB 10	3000 W	4 star	30.7	39.6	Vertical	0.65 MPa (6.5 kg/cm ²)
15 L	ESB 15	2000 W	4 star	30.7	50	Vertical	0.65 MPa (6.5 kg/cm ²)


STEAMER PLUS MSV

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Glass-lined AC coating

Outer cover made of high-quality powder-coated mild steel & plastic end covers.

PUF insulation to minimise heat loss and reduce power consumption.

Inner tank made of high-quality steel with glass-lined AC coating.

Suitable for multistoried building and can withstand pressure up to 0.8 MPa (8 kg/cm²).

High-quality incoloy 840 heating element.

2-star rated from BEE for its energy-saving technology.

Capillary thermostat for external temperature control.

Sacrificial anode for extended life span.

Analogue temperature indicator.

Safety devices.

Multifunctional safety valve.

Steamer Plus MSV series comes with a product warranty of 2 years and inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
35 L	Steamer Plus MSV 35	2000 W	2 star	35	68	Vertical	0.8 MPa (8 kg/cm ²)
50 L	Steamer Plus MSV 50	3000 W	2 star	39	74.5	Vertical	0.8 MPa (8 kg/cm ²)
100 L	Steamer Plus MSV 100	3000 W	2 star	46	91	Vertical	0.8 MPa (8 kg/cm ²)


SPRINHOT PLUS

STORAGE SERIES





Ivory



Electric Water Heater with ABS outer body and SS tank with ACC protection for long life



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption



Replacement warranty 5 years for inner tank

Outer cover made of rust proof ABS material.

Inner tank made of 304L Grade Jindal/Tata brand Stainless Steel.

5-star rating as per BEE standard.

Available in attractive Ivory colour.

Sacrificial anode for extra long life.

Sprinhot Plus series comes with a product warranty of 2 years and inner tank warranty of 5 years.

PUF insulation to minimise heat loss and reduce power consumption.

15 & 25 L capacities can withstand pressure up to 0.65 MPa (6.5 kg/cm²). All other capacities can withstand pressure up to 0.35 MPa (3.5 kg/cm²).

ACC protection in inner tank.

Adjustable capillary thermostat in 15 & 25 L.

Penta safety system.

ISI marked.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sprinhot Plus 6	3000 W	5 Star	25.5	36.4	Vertical	0.35 MPa (3.5 kg/cm ²)
10 L	Sprinhot Plus 10	3000 W	5 Star	29.7	41.2	Vertical	0.35 MPa (3.5 kg/cm ²)
15 L	Sprinhot Plus 15	2000 W	5 Star	32.1	44.7	Vertical/Floor	0.65 MPa (6.5 kg/cm ²)
25 L	Sprinhot Plus 25	2000 W	5 Star	38.7	57.8	Vertical/Horizontal	0.65 MPa (6.5 kg/cm ²)


EC SERIES

STORAGE SERIES





White



Glass-lined AC coating



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption

Outer cover made of high-quality prepainted galvanized iron sheet & plastic end cover.

High-quality incoloy 800 heating element.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rated from BEE for its energy-saving technology.

Multifunctional safety valve.

Inner tank made of high-quality steel with glass-lined AC coating.

Capillary thermostat for external temperature control.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Sacrificial anode for extended life span.

EC Series comes with 2 year product warranty, 3 years for heating element and 5 years warranty for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	EC 6	2000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	EC 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	EC 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	EC 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)


ECN SERIES

STORAGE SERIES





White




PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Glass-lined AC coating



Suitable for high rise buildings: Pressure-resistant technology which suits high-rise buildings where water pressure is up to 0.8 MPa (8 kg/cm²)

Outer cover made of high quality pre-painted galvanized iron sheet & plastic end cover.

High-quality incoloy 800 heating element.

Capillary thermostat for external temperature control.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Sacrificial anode for extended life span.

ECN Series comes with 2 year product warranty, 3 years for heating element and 7 years warranty for inner tank .

Inner tank made of high-quality steel with glass-lined AC coating.

Analogue temperature indicator.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rated from BEE for its energy-saving technology.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	ECN 6	2000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	ECN 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	ECN 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	ECN 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)


KRYSTAL PLUS

STORAGE SERIES





White



Electric Water Heater with ABS outer body and inner tank with glass-lined AC coating for long life



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption



Replacement warranty 5 years for inner tank

Outer cover made of rust proof ABS material in attractive White colour.

PUF insulation to minimise heat loss and reduce power consumption.

Inner tank made of high-quality steel with glass-lined AC coating.

Suitable for multistoried building and can withstand pressure up to 0.8 MPa (8 kg/cm²).

High-quality incoloy 840 heating element.

4-star rated from BEE for its energy-saving technology

Capillary thermostat for external temperature control.

Sacrificial anode for extended life span.

Krystal Plus Series comes with a product warranty of 2 years and inner tank warranty of 5 years.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Krystal Plus 6	2000 W	4 star	30.5	30.5	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Krystal Plus 10	2000 W	4 star	34.5	34.5	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Krystal Plus 15	2000 W	4 star	38.5	38.5	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Krystal Plus 25	2000 W	4 star	43.5	43.5	Vertical	0.8 MPa (8 kg/cm ²)


KRYSTAL PLUS DG SERIES

STORAGE SERIES





White



Digital display for temperature indication



Electric Water Heater with ABS outer body and inner tank with glass-lined AC coating for long life



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption

Electric Water Heater with rust proof ABS outer body.

MS tank with glass-line coating.

Digital display for temperature indication.

High-quality incoloy 840 heating element for long life.

4-star rating as per BEE standard.

Adjustable capillary thermostat for temperature regulation.

Multifunctional safety valve.

Pressure pump/multistoried building usage compatibility with 0.8 MPa (8 kg/cm²) pressure withstanding.

Krystal Plus DG Series comes with a product warranty of 2 years and heating element warranty of 3 years and inner tank warranty of 7 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Krystal Plus DG 6	2000 W	4 star	30.5	30.5	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Krystal Plus DG 10	2000 W	4 star	34.5	34.5	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Krystal Plus DG 15	2000 W	4 star	38.5	38.5	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Krystal Plus DG 25	2000 W	4 star	43.5	43.5	Vertical	0.8 MPa (8 kg/cm ²)



STEAMER PLUS MS SLEEK

STORAGE SERIES





White



Glass-lined AC coating



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption

Outer cover made of high-quality ABS.

Inner tank made of high-quality steel with glass-lined AC coating.

High-quality incoloy 840 heating element.

Sacrificial anode for extended life span.

Multifunctional safety valve.

PUF insulation to minimise heat loss and reduce power consumption.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Capillary thermostat for external temperature control.

Available with an inlet outlet pipe in the left hand side (LHS) as well as right hand side (RHS).

Steamer Plus MS Sleek series comes with a product warranty of 2 years and inner tank warranty of 7 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Steamer Plus MS Sleek 15 RHS	2000 W	2 star	28.5	60	Horizontal/Vertical	0.8 MPa (8 kg/cm ²)
25 L	Steamer Plus MS Sleek 25 RHS	2000 W	2 star	28.5	86	Horizontal/Vertical	0.8 MPa (8 kg/cm ²)
15 L	Steamer Plus MS Sleek 15 LHS	2000 W	2 star	28.5	60	Horizontal/Vertical	0.8 MPa (8 kg/cm ²)
25 L	Steamer Plus MS Sleek 25 LHS	2000 W	2 star	28.5	86	Horizontal/Vertical	0.8 MPa (8 kg/cm ²)



STEAMER PLUS ECH

STORAGE SERIES





White



Glass-lined AC coating



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption



Replacement warranty
7 years for inner tank &
3 years for heating coil

Outer cover made of high-quality powder coated mild steel & plastic end covers.

Inner tank made of high-quality steel with glass-lined AC coating.

High-quality incoloy 840 heating element.

Sacrificial anode for extended life span.

Steamer plus ECH series comes with 2 years product warranty, 3 years for heating element and 7 years warranty for inner tank.

PUF insulation to minimise heat loss and reduce power consumption.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Capillary thermostat for external temperature control.

Analogue temperature indicator.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Steamer Plus MS 15 ECH Series	2000 W	2 star	30	52	Horizontal	0.8 MPa (8 kg/cm ²)
25 L	Steamer Plus MS 25 ECH Series	2000 W	2 star	30	75.4	Horizontal	0.8 MPa (8 kg/cm ²)


STEAMER PLUS MSH

STORAGE SERIES






White



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span

Outer cover made of rust proof ABS material in attractive White colour.

PUF insulation to minimise heat loss and reduce power consumption.

Inner tank made with high-quality steel with 0.3 cm (3 mm) thick EPAC (Engineered Polymer Anti Corrosion) coated to suit any kind of water.

Suitable for multistoried buildings and can withstand pressure up to 0.8 Mpa (8 kg/cm²).

High-quality incoloy 840 heating element.

Capillary thermostat for external temperature control.

Sacrificial anode for extended life span.

Multifunctional valve.

Steamer Plus MSH series comes with a product warranty of 2 years and inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Steamer Plus MSH	2000 W	2 star	23.5	44.4	Horizontal	0.8 MPa (8 kg/cm ²)


GLADO

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial magnesium anode for extended life span



Electric Water Heater with ABS outer body and inner tank made of 304L grade branded stainless steel



Replacement warranty 5 years for inner tank

Electric Water Heater with rust proof ABS outer body for long life.

Adjustment knob for setting the temperature conveniently.

Multistoried building usage compatibility with 0.6 MPa (6 kg/cm²) pressure withstanding.

Sacrificial magnesium anode for extended life span.

Glado Series comes with a 2 year product warranty and 5 years warranty for inner tank.

Inner tank made of 304L grade branded stainless steel.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rating as per BEE standard.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Glado 6	3000 W	5 Star	29.3	31.6	Vertical	0.6 MPa (6 kg/cm ²)
10 L	Glado 10	3000 W	5 Star	32.9	36.7	Vertical	0.6 MPa (6 kg/cm ²)
15 L	Glado 15	2000 W	5 Star	32.9	47.2	Vertical	0.6 MPa (6 kg/cm ²)
25 L	Glado 25	2000 W	5 Star	35.7	57.1	Vertical	0.6 MPa (6 kg/cm ²)


VALCO

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Outer cover made of high-quality prepainted galvanized iron sheet & plastic end cover for long life



Replacement warranty
7 years for inner tank &
2 years for heating element

Outer cover made of high-quality prepainted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Sacrificial anode for extended life span.

Valco series comes with a 2 year product warranty, 2 years for heating element and 7 years warranty for inner tank.

Inner tank made of high-quality steel with glass-lined Anti Corrosion coating.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rated from BEE for its energy-saving technology.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Valco 6	2000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Valco 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Valco 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Valco 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)


SIETA

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Outer cover made of high-quality prepainted galvanized iron sheet & plastic end cover for long life



Sieta series comes with a 2 year product warranty, 2 years for heating element and 5 years warranty for inner tank



Outer cover made of high-quality prepainted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Sacrificial anode for extended life span.

Sieta series comes with a 2 year product warranty, 2 years for heating element and 5 years warranty for inner tank.

Inner tank made of high-quality steel with glass-lined Anti Corrosion coating.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rated from BEE for its energy-saving technology.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sieta 6	2000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Sieta 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Sieta 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Sieta 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)


SIETA PLUS

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Outer cover made of rust proof ABS & plastic end cover



Replacement warranty
7 years for inner tank &
3 years for heating element

Outer cover made of rust proof ABS & plastic end cover.

Capillary thermostat for external temperature control.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Sacrificial anode for extended life span.

Inner tank made of high-quality steel with glass-lined AC coating.

PUF insulation to minimize heat loss and reduce power consumption.

5-star rated from BEE for its energy-saving technology.

Sieta Plus series comes with 2 year product warranty, 3 years for heating element and 7 years warranty for inner tank.

CAPACITY	SERIES NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sieta Plus 6	2000 W	5 Star	28.5	34.5	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Sieta Plus 10	2000 W	5 Star	32.5	36.0	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Sieta Plus 15	2000 W	5 Star	32.5	46.0	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Sieta Plus 25	2000 W	5 Star	37.0	56.5	Vertical	0.8 MPa (8 kg/cm ²)
35 L	Sieta Plus 35	2000 W	5 Star	37.0	66.5	Vertical	0.8 MPa (8 kg/cm ²)


VISTORA

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Outer cover made of high-quality prepainted galvanized iron sheet & plastic end cover for long life



Replacement warranty
7 years for inner tank &
2 years for heating element

Outer cover made of high-quality prepainted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Sacrificial anode for extended life span.

Vistora series comes with a 2 year product warranty, 2 years for heating element and 7 years warranty for inner tank.

Inner tank made of high-quality steel with glass-lined Anti Corrosion coating.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rated from BEE for its energy-saving technology.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Vistora 6	2000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Vistora 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Vistora 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Vistora 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)



ECH

STORAGE SERIES





White



Glass-lined AC coating



Sacrificial anode for extended life span



PUF insulation to minimise heat loss and reduce power consumption



Replacement warranty
7 years for inner tank &
3 years for heating
element

Outer cover made of high-quality prepainted galvanized iron sheet & plastic end cover for long life.

Analogue temperature indicator set temperature will be displayed.

High-quality incoloy 800 heating element suitable for hard water conditions.

Adjustment knob for setting the temperature conveniently.

PUF insulation to minimise heat loss and reduce power consumption.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

3-star rated from BEE for its energy-saving technology.

Sacrificial anode for extended life span.

Multifunctional safety valve.

Inner tank made of high-quality steel with glass-lined Anti Corrosion coating.

ECH series comes with a 2 year product warranty, 3 years for heating element and 7 years warranty for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ECH 10	2000 W	3 Star	32.3	43.2	Horizontal	0.8 MPa (8 kg/cm ²)
15 L	ECH 15	2000 W	3 Star	34.3	50.1	Horizontal	0.8 MPa (8 kg/cm ²)
25 L	ECH 25	2000 W	3 Star	40.3	53.3	Horizontal	0.8 MPa (8 kg/cm ²)


PEBBLE PRO SERIES

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Outer cover made with rust proof ABS for long life.



Replacement warranty
7 years for inner tank &
2 years for heating element

Outer cover made with rust proof ABS for long life.

Adjustment knob for setting the temperature conveniently.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Sacrificial anode for extended life span.

Pebble Pro Series comes with a 2 year product warranty, 2 years for heating element and 7 years warranty for inner tank.

Inner tank made of high-quality steel with glass-lined Anti Corrosion coating.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rated from BEE for its energy-saving technology.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble Pro 6	2000 W	5 Star	29.3	31.35	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Pebble Pro 10	2000 W	5 Star	33.2	35.3	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Pebble Pro 15	2000 W	5 Star	35.6	38.4	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Pebble Pro 25	2000 W	5 Star	38.6	46.85	Vertical	0.8 MPa (8 kg/cm ²)


PEBBLE MAX SERIES

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Outer cover made with rust proof ABS for long life.



Replacement warranty
7 years for inner tank &
4 years for heating element

Outer cover made with rust proof ABS for long life.

Adjustment knob for setting the temperature conveniently.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

Sacrificial anode for extended life span.

High-quality incoloy 800 heating element suitable for hard water conditions.

Inner tank made of high-quality steel with glass-lined Anti Corrosion coating.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rated from BEE for its energy-saving technology.

Multifunctional safety valve.

Pebble Max Series comes with a 3 year product warranty, 4 years for heating element and 7 years warranty for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble Max 6	2000 W	5 Star	29.3	31.35	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Pebble Max 10	2000 W	5 Star	33.2	35.3	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Pebble Max 15	2000 W	5 Star	35.6	38.4	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Pebble Max 25	2000 W	5 Star	38.6	46.85	Vertical	0.8 MPa (8 kg/cm ²)


IRIS TEZ

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption



Sacrificial anode for extended life span



Electric Water Heater with rust proof dual colour ABS outer body for long life.



Replacement warranty
7 years for inner tank &
4 years for heating element



Electric Water Heater with rust proof dual colour ABS outer body for long life.

Vitreous enamel coated incoloy 800 heating element for long life & quick heating.

PUF insulation to minimise heat loss and reduce power consumption.

5-star rating as per BEE standard.

Multifunctional safety valve.

Inner tank made of high-quality steel with glass-lined AC coating.

Adjustment knob for setting the temperature conveniently.

Multistoried building usage compatibility with 0.8 MPa (8 kg/cm²) pressure withstanding.

Sacrificial anode for extended life span.

Iris Tez Series comes with 2 year product warranty, 4 years for heating element and 7 years warranty for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Iris Tez 15	3000 W	5 Star	32.6	49.6	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris Tez 25	3000 W	5 Star	38.1	53.2	Vertical	0.8 MPa (8 kg/cm ²)


IRIS SMART SERIES

STORAGE SERIES





White



PUF insulation to minimise heat loss and reduce power consumption




Sacrificial anode for extended life span



Electric Water Heater rust proof dual colour ABS outer body and inner tank with glass-lined AC coating for long life



2 year product warranty, 7 years for inner tank & 4 years for heating element



Multistoried building usage compatibility with 0.8 MPa (8 kg/cm²) pressure withstanding

Wi-Fi/Internet control smart water heater can be switch ON/OFF from anywhere in the world.

Suitable for iOS/Android smart phones.

Geo fencing features–Water Heater automatically switches ON when the customer reaches the location & turns OFF when exiting the location. Perimeter of the location can be set through the App.

Energy consumption monitoring through App.

Energy limit alert can be set through the App.

Child lock: Will disable the temperature setting from the water heater control panel.

Heating schedule of water heater can be set daily basis/ weekly basis up to one week & maximum 8 different schedules is available in a particular day.

Holiday mode: Water heating will be disable from the starting to ending as set in the App.

Pre-set temperature: Three pre-set modes, Luke/Warm & Hot.

Product sharing: Product controls can be shared with other Smart App users by the admin user.

Vitreous enamel coated incoloy 800 heating element for long life for long life and fast heating.

5-star rating as per BEE standard.

Multifunctional safety valve.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Iris Smart 15	2000 W	5 Star	32.6	49.6	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris Smart 25	2000 W	5 Star	38.1	53.2	Vertical	0.8 MPa (8 kg/cm ²)

GAS WATER HEATERS

Revitalise in the warm, soothing shower with V-Guard gas water heaters. Designed to take care of all your hot water needs, they offer higher energy savings, long-lasting performance and superior safety. The ultra-safe and energy-efficient gas water heaters are a perfect addition to your household.



V-GUARD 



GAS WATER HEATERS





White




High safety



Instant heating



Anti freeze protection



Ultra low pressure application



Electronic cut off for no water flow



Suitable for multistoried building

Suitable for ultra low pressure application.

Extra protection with double solenoid valve.

20 minutes gas flow cut-off timer.

Suitable for multistoried buildings.

SS burner.

Automated ignition system instant heating.

Overheat protection.

PRV for water high pressure protection.

Summer/winter burner selection.

Copper heat exchanger.

CAPACITY	MODEL NAME	WATER PRESSURE	GAS PRESSURE	GAS TYPE	DRY BATTERY
5 L	Safeflo Plus	0.008-0.8 MPa	2942 Pa (2.942 kPa)	LPG	1.5V x 2 numbers
6 L	Safeflo Prime	0.008-0.8 MPa	2942 Pa (2.942 kPa)	LPG	1.5V x 2 numbers

IMMERSION HEATER RODS

Switch to a world of unparalleled efficiency with the V-Guard range of immersion heater rods. Built with state-of-the-art features such as quick heating and water level indicators, they ensure utmost protection against shock. So, why wait any longer? Bring home the V-Guard range of immersion heater rods that perfectly blend with your bathroom and enjoy supreme convenience.





VIH 101/VIH 151

IMMERSION HEATERS





VIH 101

VIH 151



High safety



Instant heating

Engineering plastic handle ensuring complete protection against shock.

Specially designed heating element for quick heating.

Indicator for power on.

Hanging hook for safe operation.

Copper tube element with long lasting nickel plating for long element life.

Water level indicator.

MODEL NAME	RATED POWER	RATED VOLTAGE
VIH 101	1000 W	230 V AC 50 Hz
VIH 151	1500 W	230 V AC 50 Hz

- * All performance parameters are checked under standard test conditions at 230 V, 50 Hz Ac
- * Colours and specifications are subject to change without prior notice
- * Colours shown may not match the actual colours due to printing limitations

V-Guard Industries Ltd. ,

Registered Office: 42/962, Vennala High School Road, Vennala, Kochi - 682 028, Kerala.
Ph: 0484-2005000, 4335000 email: customercare@vguard.in | www.vguard.in



V-Guard Care
1800 103 1300 (Toll Free)
1860 180 3000 (Charges Apply)
customercare@vguard.in
☎ 9633503333

www.vguard.in/home/customer-care
CIN: L31200KL1996PLC010010

